

Amendments to the Claims

Please amend claims 16, 37 as indicated. Shown are all active claims. This listing of claims will replace all prior versions, and listings, of claims in the application:

- 1 1. (Original) A method, comprising:
2 receiving by an article associated with an attendee of an event an identifier
3 broadcasted by a recording device making a recording of the event, the identifier
4 identifying at least the recording of the event; and
5 storing the identifier in a memory communicatively coupled to the article.
6
7 2. (Original) The method of claim 1, further comprising:
8 emitting a responsive signal by the article to acknowledge receiving the identifier
9 broadcasted by the recording device.
10
11 3. (Original) The method of claim 1, wherein the article associated with
12 the attendee of the event is a badge worn by the attendee.
13
14 4. (Original) The method of claim 1, wherein the article associated with
15 the attendee of the event is a ticket issued to the attendee.
16
17 5. (Original) The method of claim 1, further comprising:
18 determining a proximity relationship between the article and the recording device;
19 and

1 determining whether to store the identifier in the memory communicatively
2 coupled to the article based at least on the determined proximity relationship.

3
4 6. (Original) The method of claim 1, further comprising:
5 determining a vantage point of the recording device; and
6 determining whether to store the identifier in the memory communicatively
7 coupled to the article based at least on the determined vantage point.

8
9 7. (Original) The method of claim 1, wherein the identifier is broadcasted
10 with a short-range emitter so that only articles near the recording device receive the
11 identifier.

12
13 8. (Original) The method of claim 1, further comprising:
14 providing the recording and identifier of the recording to a distributor which
15 distributes the recording to entities providing to the distributor the identifier.

16
17 9. (Original) The method of claim 8, further comprising:
18 providing the distributor with distribution terms for the recording, wherein the
19 distributor distributes the recording according to the distribution terms.

20
21 10. (Original) The method of claim 8, further comprising:
22 wherein an identity for at least one party to a distribution of the recording remains
23 anonymous.

1
2 11. (Original) A method, comprising:
3 recording an event with a recorder that broadcasts at least one identifier
4 identifying the recorder;
5 receiving a responsive identifier from an entity interested in the recording; and
6 associating the responsive signal with the recording.

7
8 12. (Original) The method of claim 11, wherein the signal is a short-range
9 signal so that responsive signals are received only from entities near to the recording of
10 the event.

11
12 13. (Original) The method of claim 11, further comprising:
13 offering the recording for distribution to interested parties;
14 determining standard distribution terms; and
15 offering favorable distribution terms to a first party associated with the entity from
16 which the responsive signal was received.

17
18 14. (Original) The method of claim 11, further comprising:
19 receiving a request to purchase the recording, the request comprising the
20 responsive signal; and
21 identifying the recording based at least in part on the responsive signal.

22
23 15. (Original) The method of claim 14, further comprising:

1 providing the recording to a broker configured to anonymously sell the recording.

2
3 16. (Amended) The method of claim 11, wherein the identification signal
4 comprises a first location component indicating where the recording occurred.

5
6 17. (Original) The method of claim 16, wherein the responsive signal
7 comprises a second location component indicating where the entity was located, the
8 method further comprising:

9 offering the recording for distribution to interested parties based at least in part
10 on the first and the second locations.

11
12 18. (Original) The method of claim 17, further comprising:
13 determining a proximity based at least in part on the first and the second
14 distances.

15
16 19. (Original) The method of claim 18, further comprising:
17 only associating the responsive signal with the recording if the proximity meets a
18 desired maximal proximity.

19
20 20. (Original) The method of claim 11, further comprising:
21 receiving a request from an interested party to purchase the recording, the
22 request comprising the responsive signal; and

1 providing the recording to the interested party in both an electronic format and a
2 hard-copy format as well.

3
4 21. (Original) The method of claim 20 wherein providing the recording
5 occurs through an anonymizing broker.

6
7 22. (Original) A system comprising:
8 a recorder for recording an event, the recorder configured to emit at least one
9 identification signal that identifies the recording;
10 a badge responsive to the emitted identification signal and configured to emit a
11 responsive signal identifying the badge to the recorder; and
12 a distributor for managing distribution of the recording to a party associated with
13 the badge.

14
15 23. (Original) The system of claim 22, further comprising:
16 a vantage point communicatively coupled with the distributor and the badge;
17 wherein the vantage point is configured to provide both the identification signal
18 and the responsive signal to the distributor.

19
20 24. (Original) The system of claim 22, further comprising:
21 a storage for storing, at least temporarily, a cross-reference between the
22 identification signal and the responsive signal;

1 wherein the distributor is configured to receive a distribution request from the
2 party, determine the cross-reference, and provide the recording to the party.

3
4 25. (Original) The system of claim 22, wherein the recorder is configured
5 to associate the responsive signal with the recording and provide said association to the
6 distributor.

7
8 26. (Original) An article, comprising:
9 a machine-accessible media having associated data, wherein the data, when
10 accessed, results in a machine performing:
11 recording an event with a recorder that broadcasts at least one identifier
12 identifying the recorder;
13 receiving a responsive identifier from an entity interested in the recording; and
14 associating the responsive signal with the recording.

15
16 27. (Original) The article of claim 26, wherein the signal is a short-range
17 signal so that responsive signals are received only from entities near to the recording of
18 the event.

19
20 28. (Original) The article of claim 26 wherein the machine-accessible
21 media further includes data, when accessed by the machine, results in the machine
22 performing: offering the recording for distribution to interested parties;
23 determining standard distribution terms; and

1 offering favorable distribution terms to a first party associated with the entity from
2 which the responsive signal was received.

3
4 29. (Original) The article of claim 26 wherein the machine-accessible
5 media further includes data, when accessed by the machine, results in the machine
6 performing: receiving a request to purchase the recording, the request comprising the
7 responsive signal; and
8 identifying the recording based at least in part on the responsive signal.

9
10 30. (Original) The article of claim 29 wherein the machine-accessible
11 media further includes data, when accessed by the machine, results in the machine
12 performing: providing the recording to a broker configured to anonymously sell the
13 recording.

14
15 31. (Original) The article of claim 26, wherein the identification signal
16 comprises a first location component indicating where the recording occurred

17
18 32. (Original) The article of claim 31, wherein the responsive signal
19 comprises a second location component indicating where the entity was located, and
20 wherein the machine-accessible media further includes data, when accessed by the
21 machine, results in the machine performing:
22 offering the recording for distribution to interested parties based at least in part
23 on the first and the second locations.

1

2 33. (Original) The article of claim 32 wherein the machine-accessible
3 media further includes data, when accessed by the machine, results in the machine
4 performing: determining a proximity based at least in part on the first and the second
5 distances.

6

7 34. (Original) The article of claim 33 wherein the machine-accessible
8 media further includes data, when accessed by the machine, results in the machine
9 performing: only associating the responsive signal with the recording if the proximity
10 meets a desired maximal proximity.

11

12 35. (Original) The article of claim 26 wherein the machine-accessible
13 media further includes data, when accessed by the machine, results in the machine
14 performing: receiving a request from an interested party to purchase the recording, the
15 request comprising the responsive signal; and
16 providing the recording to the interested party in both an electronic format and a
17 hard-copy format as well.

18

19 36. (Original) The article of claim 35 wherein providing the recording
20 occurs through an anonymizing broker.

21

22 37. (Amended) A system comprising:

1 recording means for recording an event, the recorder configured to emit at least
2 one identification signal that identifies the recording;

3 badge [emitting] means responsive to the emitted identification signal and
4 configured to emit a responsive signal identifying the badge to the recorder; and
5 distribution means for managing distribution of the recording to a party
6 associated with the badge.

7
8 38. (Original) The system of claim 37, further comprising:
9 coupling means communicatively coupled with the distribution means and the
10 emitting means, and configured to provide both the identification signal and the
11 responsive signal to the distributor.

12
13 39. (Original) The system of claim 37, further comprising:
14 a storage for storing, at least temporarily, a cross-reference between the
15 identification signal and the responsive signal;
16 wherein distribution means is configured to receive a distribution request from the
17 party, determine the cross-reference, and provide the recording to the party.

18
19 40. (Original) The system of claim 37, wherein the recording means is
20 configured to associate the responsive signal with the recording and provide said
21 association to the distributor.

1 41. (Original) An article comprising, a machine-accessible media having
2 associated data, wherein the data, when accessed, results in a machine performing:
3 receiving by an article associated with an attendee of an event an identifier
4 broadcasted by a recording device making a recording of the event, the identifier
5 identifying at least the recording of the event; and
6 storing the identifier in a memory communicatively coupled to the article.
7

8 42. (Original) The article of claim 41 wherein the machine-accessible
9 media further includes data, which when accessed by the machine, results in the
10 machine performing:
11 emitting a responsive signal by the article to acknowledge receiving the identifier
12 broadcasted by the recording device.
13

14 43. (Original) The article of claim 41, wherein the article associated with
15 the attendee of the event is a badge worn by the attendee.
16

17 44. (Original) The article of claim 41, wherein the article associated with
18 the attendee of the event is a ticket issued to the attendee.
19

20 45. (Original) The article of claim 41 wherein the machine-accessible
21 media further includes data, which when accessed by the machine, results in the
22 machine performing:

1 determining a proximity relationship between the article and the recording device;

2 and

3 determining whether to store the identifier in the memory communicatively

4 coupled to the article based at least on the determined proximity relationship.

5
6 46. (Original) The article of claim 41 wherein the machine-accessible
7 media further includes data, which when accessed by the machine, results in the
8 machine performing:

9 determining a vantage point of the recording device; and

10 determining whether to store the identifier in the memory communicatively
11 coupled to the article based at least on the determined vantage point.

12
13 47. (Original) The article of claim 41, wherein the identifier is broadcasted
14 with a short-range emitter so that only articles near the recording device receive the
15 identifier.

16
17 48. (Original) The article of claim 41 wherein the machine-accessible
18 media further includes data, which when accessed by the machine, results in the
19 machine performing:

20 providing the recording and identifier of the recording to a distributor which
21 distributes the recording to entities providing to the distributor the identifier.

1 49. (Original) The article of claim 48 wherein the machine-accessible
2 media further includes data, which when accessed by the machine, results in the
3 machine performing:

4 providing the distributor with distribution terms for the recording, wherein the
5 distributor distributes the recording according to the distribution terms.

6
7 50. (Original) The article of claim 48, further comprising:
8 wherein an identity for at least one party to a distribution of the recording remains
9 anonymous.